

From: [Moore, Gary](#)
To: [Cassidey, LeRoy](#)
Cc: [Lavergne, Steven D](#)
Bcc: [Gee, Jo](#)
Subject: Re: Draft 1900-55 for 10/15, 10/16, 10/17
Date: Wednesday, October 22, 2014 10:41:53 PM
Attachments: [101714_1900-55_Draft_0702-0062.pdf](#)

Hello:

I am having a problem with the operator charges. They are not listed in the DWO and also the equipment operated is not listed. I am assuming one of them operated the air mover and I am ok with that if it is identified. I am not sure what other equipment would be considered as operating equipment. Please identify. I would like the exact equipment operated identified so that I can determine if it is an appropriate charge. Operating the skidsteer is not considered an equipment operator under our contract. Please make appropriate changes as I have made these comments numerous times with no resolution. Also, I have not seen a certification indicating those performing under the contract meet the personnel qualifications which is a requirement under the contract and is also something that is required by the EPA Inspector General. I will begin making contact with the IG if we cannot get resolution to this in short order as I have asked for it on numerous occasions. This is a certification that will be shown to the IG confirming that you have reviewed the quals of the individual and they meet the contract quals. These issues cannot continue to drag along.

Also, I am seeing charges for PPE from SWSES. It was my understanding that we had a purchase of a significant order by CB&I. Why am I getting charges from SWSES if CBI is providing the PPE?

See comments included in the draft 1900-55.

Also Leroy, I would like a complete in depth explanation of the CBI procurement process from writing the scope of work thru award. I would like to know about how vendors are identified in your process. I would like to understand what "qualified vendors" are? This should be easy to do with coordination with Phillip Joseph. I want to understand the full process as I don't believe that we are getting "Emergency and Rapid Response Services" from the procurement process.

Thanks

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

moore.gary@epa.gov

From: Cassidey, LeRoy
Sent: Wednesday, October 22, 2014 3:05 PM
To: Moore, Gary
Cc: Lavergne, Steven D
Subject: FW: Draft 1900-55 for 10/15, 10/16, 10/17
Gary:

Attached is the draft. I have reviewed and approved. We will replace the DWO for 10 16 with the

signed copy.

LeRoy



LeRoy Cassidey

Construction Manager 1

Engineering and Construction

CB&I Federal Services LLC

+1 469.446.8408

leroy.cassidey@cbifederalservices.com

www.cbi.com

From: Lavergne, Steven D

Sent: Wednesday, October 22, 2014 1:00 PM

To: Cassidey, LeRoy

Subject: Draft 1900-55 for 10/15, 10/16, 10/17

Please review. Thanks



Steven Lavergne

Project Sr. Accountant II

Project Accounting

Federal Services

Office: +1 225 932 6579

Cell: +1 830 743 3166

steven.lavergne@cbifederalservices.com

CB&I

2370 Towne Center Blvd.

Baton Rouge, LA 70806

United States

www.CBI.com

This e-mail and any attached files may contain CB&I Federal Services LLC (or its affiliates) confidential and privileged information. This information is protected by law and/or agreements between CB&I Federal Services LLC (or its affiliates) and either you, your employer or any contract provider with which you or your employer are associated. If you are not an intended recipient, please contact the sender by reply e-mail and delete all copies of this e-mail; further, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.